

THE WESTERN JOURNAL OF MEDICINE

OWNED AND PUBLISHED BY THE CALIFORNIA MEDICAL ASSOCIATION

editorial communications to: MALCOLM S. M. WATTS, M.D.

business communications to: LYTTON O. HETLAND
Business Manager

693 Sutter Street, San Francisco, California 94102 • Telephone (415) 776-9400

## Editorial Board

Chairman of the Board: Malcolm S. M. Watts, San Francisco

Allergy: M. Coleman Harris, San Francisco Norman Shure, Los Angeles

Anesthesiology:
John P. Bunker, Palo Alto
John B. Dillon, Los Angeles

Dermatology and Syphilology: Rees B. Rees, San Francisco Richard B. Stoughton, La Jolla

General Practice: Frank W. Norman, Santa Rosa Robert L. Hippen, San Diego

General Surgery: William P. Longmire, Jr., Los Angeles Richard E. Gardner, San Francisco

Industrial Medicine and Toxicology: Homer S. Elmquist, Los Angeles Charles H. Hine, San Francisco

Internal Medicine: vrnal Medicine:
Varner J. Johns, Jr., Loma Linda
J. Edward Berk, Irvine
Robert J. Bolt, Davis
Robert J. W. Petit, Los Angeles
Edgar Wayburn, San Francisco
Marcus A. Krupp, Palo Alto
Nathan J. Zvaifler, San Diego

Neurology: Robert A. Fishman, San Francisco Pierre Dreyfus, Davis

Obstetrics and Gynecology:
William J. Dignam, Los Angeles
Ernest W. Page, San Francisco

Ophthalmology:
David O. Harrington, San Francisco
Robert M. Sinskey, Santa Monica

Orthopedics:
Paul E. McMaster, Beverly Hills
John A. Blosser, Oakland

Otolaryngology:
Paul H. Ward. Los Angeles
Mansfield F. W. Smith, San Jose
Pathology and Bacteriology:
Stuart Lindsay, San Francisco
Averill A. Liebow, San Diego

Pediatrics Henry R. Shinefield, San Francisco Paul F. Wehrle, Los Angeles

Pharmacology:
Kenneth L. Melmon, San Francisco
Sydney M. Finegold, Los Angeles

Physical Medicine: Elizabeth S. Austin, Los Angeles Gregory Bard, San Francisco

Plastic Surgery: Richard L. Dakin, San Rafael N. John Wilde, Fresno

Psychiatry: Leon J. Epstein, San Francisco Norman Q. Brill, Los Angeles

Public Health:
Edward Lee Russell, Santa Ana
Louis F. Saylor, Berkeley

Radiology:
Alexander R. Margulis, San Francisco
Robert B. Engle, Pasadena

Thoracic and Cardiac Surgery:
Beatty H. Ramsay, Los Angeles
Norman E. Shumway, Jr., Palo Alto

Urology:
Thomas F. Conroy, San Mateo
Ruben F. Gittes, La Jolla

Consultants in Medical Services and Health Care: Gerald A. Besson, Sunnyvale Paul Scholten, San Francisco

E	DITOR				•			MALCOLM S. M. WATTS, M.D.
Α	SSOCIAT	E I	EDI	TC	R			. LLOYD H. SMITH, JR., M.D.
M	IANAGIN	īG	ED	IT	OR			ROBERT F. EDWARDS

#### Policy Committee - Editorial Board

JEAN F. CRUM								Downey
THOMAS N. ELMENT	ORI	F.						Willows
JOSEPH F. BOYLE.								Los Angeles
HENRY V. EASTMAN								Tustin
JOHN T. SAIDY .								. San Mateo
HELEN B. WEYRAUC	н							San Francisco
MALCOLM S. M. WA	TTS							San Francisco

Advertisements — CALIFORNIA MEDICINE is published the first week of each month. Advertising copy must be received not later than the first of the month preceding issue. Advertising rates will be sent on request. Acceptance of advertising is contingent upon approval by the Advertising Committee.

## SALES REPRESENTATIVES:

EAST: United Media Associates, Inc. 16 Bruce Park Ave. Greenwich, Conn. 06830 Tel. (203) 661-9702

WEST: WES1:
MELVIN B. TYLER
693 SUTTER ST.
SAN FRANCISCO, CA. 94102
TEL. (415) 776-9400

Copyright, 1972, by the California Medical Association.

Subscription prices, \$8 (\$9 for foreign countries); student subscriptions \$4; single copies 80 cents.

Volumes begin with the first of January and the first of July. Subscriptions may commence at any time.

Change of Address — Requests for change of address should give both the old and new address, and should be made by county secretaries or by the member concerned.

## Contributions of Scientific and Original Articles

Responsibilities for Statements and Conclusions in Original Articles
— Authors are responsible for all statements, conclusions and methods
of presenting their subjects. These may or may not be in harmony with
the views of the editorial staff. It is aimed to permit authors to have
as wide latitude as the general policy of the Journal and the demands
on its space may permit. The right to reduce, revise or reject any
manuscript is always reserved.

Exclusive Publication — Articles are accepted for publication on condition that they are contributed solely to this Journal. Ordinarily contributors will be notified within 60 days if a manuscript is accepted for publication. Every effort will be made to return unused manuscript.

Length of Articles — Ordinarily articles should not exceed 3,000 words (approximately 5 printed pages). Under exceptional circumstances only will articles of over 4,000 words be published.

Manuscripts — Manuscripts should be typewritten, double spaced and the original typescript plus one copy submitted.

Illustrations — Ordinarily publication of 2 or 3 illustrations accompanying an article will be paid for by CALIFORNIA MEDICINE. Any number beyond this will have to be paid for by the author.

References — Should conform to the following order: name of author, title of article, name of periodical, with volume, inclusive pages, month, and year—i.e.: Lee GS: The heart rhythm following therapy with digitalis. Arch Int Med 44:554-562, Dec 1942. They should be listed in the order in which they are cited in the text and numbered in sequence.

Reprints — Reprints must be paid for by the author at established standard rates.

Contributions of "Letters to the Editor"

The Editorial Board will be glad to receive and consider for publica-tion letters containing information of general interest to physicians throughout the State or presenting constructive criticisms on controversial issues of the day.

"Entered as second class matter at the post office in San Francisco and additional mailing offices under the Act of March 3, 1879." Acceptance for mailing at special rate of postage provided for in Section 1103, Act of October 3, 1917, authorized August 10, 1918.

demia should be placed on a low cholesterol, low triglyceride diet, and other members of the family tested.

2. Parents who request information regarding diets could be advised that no harm would occur, and some benefits might accrue, from moderate dietary alterations such as the exclusion of excessive fried foods and those high in saturated fats. For children with a strong family history of diabetes or of early coronary heart disease, such a regimen should be urged. The avoidance of obesity and smoking should be recommended for all children.

There is no evidence for manipulation of the infant diet (low fat, etc.), but parents must be convinced that an overfed baby is not necessarily the healthiest, and above all that an "adequate" diet is essential.

SAUL J. ROBINSON, M.D.

## REFERENCES

Primary prevention of the atherosclerotic diseases (Report of Inter-Society Commission for Heart Disease Resources): Circulation 42:A-55, Dec 1970

Mitchell S, Blount GS Jr, Blumenthal S, et al: The pediatrician and atherosclerosis. Pediatrics 49:165, Feb 1972

Filer LJ Jr, Barnes LA, Goldbloom RB, et al: Childhood diet and coronary heart disease (Committee on Nutrition American Academy of Pediatrics). Pediatrics 49:305-307, Feb 1972

## ADVISORY PANEL TO THE SECTION ON PEDIATRICS

WILLIAM JENKINS, M.D., Chairman Oakland

J. HAROLD BATZLE, M.D. CMA Section on Pediatrics, Secretary Riverside

Leo Bell, M.D. American Academy of Pediatrics, Alternate Chairman, California District San Mateo

MERLE J. CARSON, M.D. CMA Scientific Board Orange

ROBERT F.CHINNOCK, M.D. Loma Linda University

GEORGE DONNELL, M.D. University of Southern California CMA Scientific Board Los Angeles

FREDERICK FRYE, M.D.
CMA Section on Pediatrics,
Assistant Secretary
San Diego

MELVIN GRUMBACH, M.D. University of California, San Francisco

ALEXANDER HATOFF, M.D. American Academy of Pediatrics Northern California Chapter, Chairman Oakland

JOHN A. JAMES, M.D. Los Angeles County/University of Southern California Medical Center Los Angeles

RICHARD LEONARDS, M.D. CMA Scientific Board San Francisco Russell Mapes, M.D. American Academy of Pediatrics, Past President Los Angeles

WILLIAM D. MISBACH, M.D. American Academy of Pediatrics Los Angeles Chapter, Chairman Encino

A. J. Moss, M.D. University of California, Los Angeles

THOMAS L. NELSON, M.D. University of California, Irvine California College of Medicine

WILLIAM NYHAN, M.D. University of California, San Diego

EDWARD J. OTTENHEIMER, M.D. American Academy of Pediatrics San Diego Chapter, Chairman San Diego

SAUL J. ROBINSON, M.D. American Academy of Pediatrics California District, Chairman CMA Scientific Board San Francisco

HERBERT C. SCHWARTZ, M.D. Stanford University

EDWARD B. SHAW, M.D. CMA Scientific Board San Francisco

ROBERT S. STEMPFEL, JR., M.D. University of California, Davis

PAUL F. WEHRLE, M.D.
Los Angeles County/University of
Southern California Medical Center
Los Angeles

would have brought about return of blood chemical factors to normal, peritoneal dialysis was instituted because of the pronounced uremia. Return of normal function as measured by common laboratory chemical determinations followed definitive therapy. The patient showed no evidence of the polyuria frequently observed in such cases,4,5 or of sodium and potassium wasting6 or the more rarely reported nephritides following relief of the obstruction. We have no evidence that maintenance on peritoneal dialysis during the immediate post-obstructive period influenced development of these states.

Diagnostic x-ray evaluation was easily accomplished with a routine (50 ml contrast medium) intravenous pyelogram after the obstruction was relieved. This again demonstrated basically good renal function. If excellent recovery had not been achieved, the radiologic information-that is, kidney size, evidence of obstruction, and calyceal configuration-could have been obtained with high-dose (150 ml contrast medium) pyelograms with nephrotomograms; and had that procedure failed, the highdose pyelogram would then have been repeated after dialysis. This has been shown to increase the frequency of visualization in these difficult cases.<sup>7,8</sup> If all these procedures failed, then and only then would a retrograde pyelogram with its higher incidence of morbidity be indicated.

Obstruction to urine flow has striking effects upon renal function, yet in most cases it need not result in death. This is true especially if the obstruction is low-grade or intermittent. Because it is a common and remediable condition,9,10 it should be kept in mind as a possible etiologic factor in patients with symptoms of terminal uremia.

## Summary

Bilateral urinary tract obstruction of any cause can mimic terminal renal failure. A case is presented of a severe degree of renal dysfunction caused by prostatic obstruction to renal outflow. Renal function as measured by common laboratory means returned to normal after relief of the obstruction.

Obstructive nephropathy is more common than may be generally realized. It should be borne in mind in differential diagnosis of patients with symptoms of renal failure.

## REFERENCES

- 1. Strauss MB, Welt LG (Eds): Diseases of the Kidney. Boston, Little, Brown and Company, 1963, pp 448-450, 728-758

  2. Heptinstall RH: Pathology of the Kidney. Boston, Little, Brown and Company, 1966, pp 708-711

- 3. Campbell MF, Harrison JH: Urology—Vol 1. Philadelphia, WB Saunders Company, 1970, pp 313-348

  4. Eisman B, Vivion C, Vivion J: Fluid and electrolyte changes following relief of urinary obstruction. J Urol 74:222-226, 1955

  5. Bricker VS, Schwayri EI, Reardon JB, et al: An abnormality in renal function resulting from urinary tract obstruction. Am J Med 23:554-564, 1957
- 6. Muldowney FP, Duffy GJ, Kelly DG, et al: Sodium diuresis after relief of obstructive uropathy. N Engl J Med 274:1294-1298, 1966
- 7. Matalan R, Eisinger RP: Successful intravenous pyelography in advanced uremia—Visualization in the post-dialytic state. N Engl J Med 282:835-837, 1970
- 8. Fry IK: Radiology in the diagnosis of renal failure. Br Med Bull 27:148-152, 1971
- 9. Beck AD: Benign prostatic hypertrophy and uraemia. Br J Surg 57:561-565, 1970
- 10. Nadig P, Valk W: Recovery from obstructive disease. J Urol 88:470-472, 1962

# 102nd Annual Session of the CMA

and

Second Western States Invitational Scientific Assembly

March 10 to 14, 1973 **Disneyland Hotel** Anaheim

12 years at no charge for the vaccine. Project funded vaccines are also available, upon the request of the physician in charge, to neighborhood health centers and other community-oriented health facilities.

## REFERENCES

- 1. State of California Health and Safety Code, Sections 3480-3488
- 2. State of California Health and Safety Code, Sections 3380-3387
- 3. State of California Health and Safety Code, Sections 3400-3407
- 4. The 1964 Immunization Survey, Report Number One, Prepared for Los Angeles County Health Department by Survey Research Center, University of California, Berkeley, California, June, 1965
- 5. Measles Case Rate Per 100,000 Population, California, 1918-1971. State of California, Department of Public Health, Morbidity Reports, October, 1971

- 6. United States Immunization Survey—1970. U.S. Department of Health, Education, and Welfare, Public Health Service, Health Services and Mental Health Administration, National Communicable Disease Center
- 7. California Morbidity, March 10, 1972, No. 9. California Department of Public Health, Bureau of Communicable Disease Control

  8. United States Immunization Survey—1971. U.S. Department of Health, Education, and Welfare, Public Health Service, Health Services and Mental Health Administration, National Communicable Disease Center.
- 9. Measles Surveillance, United States, 1971-72. Morbidity and Mortality Weekly Report, U.S. Department of Health, Education, and Welfare, Public Health Service, Health Services and Mental Health Administration, Vol 21, No. 5, February 11, 1972

  10. Measles Vaccines. Recommendation of the Public Health Service Advisory Committee on Immunization Practices, September, 1967
- 11. California Morbidity, February 25, 1972, No. 7. California Department of Public Health, Bureau of Communicable Disease Control
- 12. Joint Statement of Rubella Vaccine to California Physicians Between the California Medical Association and the California Department of Public Health, July 23, 1969
- 13. Krugman S, Muriel G, Fontana VJ: Combined live measles, mumps, rubella vaccine: Immunological response. Amer J Dis Child 212:380-381, 1971

## California Medicine SUBSCRIPTION ORDER BLANK

Check One Renewal Subscription ( ) New Subscription ( ) Regular: For Foreign Subscriptions, Residents, Interns, Medical Students: \$4.00 ( Please Add \$1.00 For Postage Retired CMA Members: \$4.00 ( Please Send California Medicine To: Name\_  $\mathbf{Address}_{--}$ City, State\_\_\_

## ★ MAKE CHECKS PAYABLE TO CALIFORNIA MEDICAL ASSOCIATION ★

Mail To: Circulation Desk, California Medical Association, 693 Sutter Street, San Francisco, California 94102

ADDRESS CHANGE??? Please Enclose a Mailing Label In Order To Insure Prompt Service.